

# Standard+

THICKNESS: 1 3/4" POLYURETHANE, R-16



Every detail guaranteed™





# SUPERIOR PERFORMANCE

Get a product that exceeds your expectations. Our garage doors, inspired by Canada's severe weather, are energy efficient as they are first and foremost weathertight. They are strong and constructed with long-lasting components, rigorously selected to give a flawless finish, both up close and at a distance.



# ONE OF THE LARGEST SELECTIONS IN THE INDUSTRY


With nearly 14,000 possible combinations, you are sure to find the garage door you are looking for. Select style, color and much more by visiting garaga.com/designcentre. There, you can create and view online the perfect door to enhance your house and be assured you're making the best decision.



#### A PICTURE IS WORTH A THOUSAND WORDS

So that you can make an informed decision, all the options you want can be **quickly** calculated then presented to you in a **clear**, **illustrated quotation**. Once your garage door has been chosen, your quotation is automatically transmitted to our factory to be **precisely custom-crafted**.





### TRADITIONAL

### Standard+

#### MODEL PATTERNS AND LAYOUTS






SHAKER (21" x 15")




CLASSIC (21" x 13" and 40" x 13")






















FOR A CONTEMPORARY LOOK,

ADD A WINDOW LAYOUT



Novatech'

Match your Prestige garage door with an entry door from Novatech's Prestige Collection.

#### COLORS -

STANDARD







Claystone



















Charcoal Evergreen





Visit garaga.com/gentek to see Gentek's equivalent aluminum capping.

#### SIZES -


Widths from 8' to 18', in 1" increments. Heights from 6'6" to 8', in 3" increments. See your garage door dealer for more details on oversized doors available.

#### WARRANTY -

Door sections: limited lifetime Dura+ hardware: 2 years

Windows: 10 years against seal defects Weatherstripping: 1 year







### CONTEMPORARY

### Standard+

STEEL THICKNESS: 13/4"

#### MODEL PATTERNS AND LAYOUTS










/ / /	10 × 7
———	
——	
——	
Vog	Vog





ADD A WINDOW LAYOUT



Match your Vog garage door with a Vog entry door from Novatech's Design Collection.















Dark Sand

Moka Brown

Claystone











GENTEK. Visit garaga.com/gentek to see Gentek's equivalent

### SIZES -

Widths from 8' to 18', in 1" increments. Heights from 6'6" to 8', in 3" increments. See your garage door dealer for more details on oversized doors available.



Door sections: limited lifetime Dura+ hardware: 2 years

Windows: 10 years against seal defects Weatherstripping: 1 year

Model Standard+ Moderno Multi, 16' x 7', Ice White, window layout: Left-side Harmony







### CARRIAGE HOUSE

### Standard+

#### MODEL PATTERNS AND LAYOUTS

NORTH HATLEY (19  $34\mbox{\ensuremath{^{3}}\xspace}\xspace$  x 15" grouped by 2 and 40  $1\mbox{\ensuremath{^{12}}\xspace}\xspace$  x 15")



9' x 7' 

North Hatley SP






16' x 7'



North Hatley LP

SHAKER (8 1/2" x 14" grouped by 4)



9' x 7'

Shake	ar XS

16' x 7' 0000 0000 0000 0000 0000 0000 0000 0000 

Shaker XS

#### COLORS

STANDARD



Ice White



Dark Sand



Desert Sand




Moka Brown



Claystone

#### DECORATIVE HARDWARE -

HANDMADE WROUGHT IRON TEXTURE







SLIGHTLY BUMPY TEXTURE







Cottage

#### PREMIUM



Charcoal



Black







Visit garaga.com/gentek to see Gentek's equivalent aluminum capping.


#### SIZES -

Widths from 8' to 18', in 1" increments. Heights from 6'6" to 8', in 3" increments. See your garage door dealer for more details on oversized doors available.

#### WARRANTY

Door sections: limited lifetime Dura+ hardware: 2 years

Windows: 10 years against seal defects Weatherstripping: 1 year







#### STAINED GLASS







Cachet

PRINTING PROCESS








Empire






Caprice

THERMACRYSTAL











Nottingham

TYPES OF GLASS







**COORDINATES WITH** 









Satin


Novatech<sup>®</sup>

Garaga is proud to collaborate with entry door manufacturer, Novatech, so we can offer you products that go together perfectly.

Visit garaga.com/novatech to see what coordinates with our garage doors and windows.




#### ORION











PLASTIC INSERTS









Stockton









































Bellevue

<sup>†</sup> For all the available Williamsburg Inserts, visit garaga.com/inserts.

### **WINDOW LAYOUTS**







Left-side Harmony

Outer Harmony

Visit our site at garaga.com/windowlayouts to see all the available options.

<sup>&</sup>lt;sup>1</sup> To see what size windows are available for each garage door model, visit garaga.com/designcentre.

## **GARAGA CONSTRUCTION** MAKES ALL THE DIFFERENCE







#### INTERLOK™ JOINT

Located between sections, this joint blocks air infiltration due to its triple-contact weatherseal.

Makes sections very strong as it is mechanically interlocked and not bonded.

#### 2 WOOD END BLOCKS

The most effective thermal breaks, they eliminate any transfer of cold or heat between materials.

#### 3 REINFORCED METAL PLATES

With 14-gauge thickness, they are used to solidly attach hinges, handles and operator bracket.

#### 4 HIGH-PERFORMANCE WEATHERSTRIPPING

Our weatherstripping ensures increased weathertightness and stays flexible through the coldest temperatures.

#### 5 POLYURETHANE

High-pressure injected foam provides R-16 thermal resistance for 1 3/4" doors.


Because it adheres to the section walls, it provides a high level of rigidity to the door.

#### 6 CONTINUOUS WOODGRAIN

Up close or at a distance, our embossed woodgrain finish is flawless and very refined.

#### 7 MOLDED WINDOW FRAMES

Both our interior and exterior window frames are molded without joints or any visible screws. They are made of synthetic resin that is sun resistant to keep their good looks over the years.



wins hands down. Watch our 45-second


videos at garaga.com/lab



To save energy, all components of a garage door must be taken into consideration (joints between sections, weatherstripping, end blocks, etc.) and not just its thermal resistance R-value as that only refers to the construction of the sections.

GARAGA

lab



### Lift Master





- Ultra-quiet
- Drive system: belt or chain
- ¾ HP, power: AC or DC



- Ultra-quiet
- Drive system: jackshaft
- Power: DC

### Silent and reliable garage door openers

#### **PREMIUM SERIES**



- Quiet
- Drive system: belt or chain
- 1/2 HP, power: AC or DC



allows you to access, activate and monitor your garage door opener for greater control and security of your home.



8500 25<sup>th</sup> Avenue Saint-Georges QC G6A 1K5 Canada 418 227-9458 info@garaga.com garaga.com

YOUR GARAGA DISTRIBUTOR









